NATUZZI EDITIONS




■ Vers. 450+338+452




■ Vers. 450+338+452



SCHEMATICS



COMPOSITION EXAMPLES





Intenso C157

TECHNICAL INFORMATION

more often than Products with Visual Appearance listed as Low.

*	COVERING	Leather 🗸	Soft Cover ✓			
4	FILLING	Arms	Fiber Sea Foam Feather/Fiber Mix Feather	t cushion	Back cushion	Fiber Foam Feather/Fiber Mix Feather
4	COMFORT	Firm Comfort	Standard Comfort ✓			
*	FUNCTION	Bed	Electric motion	Motion	Recliner	Sliding
4	VISUAL APPEARANCE*	Low ✓	Medium	High		
+	LEGS	Plastic 🗸	Metal	Wood	Upholstered	Castors
VISUAL APPEARANCE						
The product may reveal various wrinkles due to the combination of Elasticity of the covering, characteristics of the interior construction and the design of the product. Low Medium High						
Products with Visual Appearance listed as High or Medium would require higher degree of care, where seats and back cushions may require fluffing and plumping						

NOTES

- Contrast stitching is available only with certain covers and option is managed directly in NARES.
- Dual power mechanism with external switch on the side panel that activates recliner and headrest and includes an USB charging port
- Stationary versions have manually adjustable headrests.
- A battery pack can be ordered with its own version code 830. For order entry please use XX
 for category and XXX for cover code. In order to optimize the duration of the battery, it is
 suggested to order one per each motion seat.
- All arms, back and seat surfaces are covered in Top Grain.
- This model is available with split leather exterior covering (Side, Rear and Front Panels)
- Tight Seat Cushion (the seat cushions of the models are fixed to the frame)
- Tight Back Cushion (the back cushions of the models are fixed to the frame)
- No Leather Side (the sectional pieces have the side covered with lining and not leather)
- Internal wooden frame.
- Feet will be in a bag inside the package and requires assembling.
- The model will be wrapped in a plastic bag.
- Feet height 5,0 cm



Intenso C157

NOTES